

**From:** [DeMaria, Eva](#)  
**To:** [LIVERMAN Alex](#)  
**Cc:** [Sheldrake, Sean](#); [Matt McClincy \(mcclincy.matt@deq.state.or.us\)](#); [Michael Allen \(allenmc@cdmsmith.com\)](#)  
**Subject:** EPA Comments - Updated Gunderson Groundwater Source Control Evaluation Report  
**Date:** Friday, August 05, 2016 3:37:00 PM  
**Attachments:** [160805 EPA comments - Gunderson Area 2 Updated GW SCE.pdf](#)

---

Hi Alex-

Please find attached EPA's comments on Gunderson Area 2 Updated Groundwater SCE. Please call or email if you have questions. Have a great weekend! Thanks.

Eva

---

**From:** LIVERMAN Alex [<mailto:liverman.alex@deq.state.or.us>]  
**Sent:** Wednesday, June 01, 2016 12:57 PM  
**To:** DeMaria, Eva  
**Cc:** Sheldrake, Sean  
**Subject:** FW: Updated Gunderson Groundwater Source Control Evaluation Report

Hi Eva.

We have been pursuing each pathway at the Gunderson site on separate timelines, but intend to tie them all together in a single source control decision. The schedule for submittals is in the attached letter and we are mostly on track with it. This submittal (scroll down for a link) is intended to summarize all the info from groundwater at the site to support an SCD (as opposed to the quarterly monitoring reports which only pertain to the treatment system in area 1). I also copied Sean, since he recommended an EPA statistical method for use in this submittal, when we discussed it and I passed on the recommendation to Gunderson. If you have comments on the submittal that would be helpful in preparing the SCD (eventually, since there is still bank and stormwater info in development), please let me know your schedule for providing them to me. Thanks.

--Alex

---

**From:** Harvey, David [<mailto:david.harvey@gbx.com>]  
**Sent:** Wednesday, June 01, 2016 11:52 AM  
**To:** LIVERMAN Alex  
**Cc:** HAFLEY Dan; Chris Breemer ([Chris@cascadiaassociates.com](mailto:Chris@cascadiaassociates.com)); Herb Clough ([HClough@apexcos.com](mailto:HClough@apexcos.com)); Hill, Soren  
**Subject:** FW: Updated Groundwater Source Control Evaluation Report

Good morning,

Please find, below, a link to the Updated Groundwater Source Control Evaluation Report. A hardcopy will be following in the mail.

I was not able to send the information yesterday because of ongoing computer and e-mail system malfunctions. Those have now been resolved (I have a loaner computer). Hardcopies will follow in the mail.

Please let me know if you have any questions. Thanks.

Best regards,

Dave Harvey

---

**From:** Kirsten White [<mailto:kwhite@cascadiaassociates.com>]  
**Sent:** Tuesday, May 31, 2016 8:22 AM  
**To:** Harvey, David  
**Cc:** Chris Breemer  
**Subject:** Updated Groundwater Source Control Evaluation Report

Good morning Dave,

Please forward the link below for the Updated Groundwater Source Control Evaluation report to Alex Liverman ([liverman.alex@deq.state.or.us](mailto:liverman.alex@deq.state.or.us)), Eva Demaria ([demaria.eva@epa.gov](mailto:demaria.eva@epa.gov)), and Herb Clough ([HClough@apexcos.com](mailto:HClough@apexcos.com)) by the end of the day today, May 31, 2016.

Feel free to use the following message if you like:

The following is a link to the *Updated Groundwater Source Control Evaluation* for the Gunderson facility at 4350 NW Front Ave, Portland, Oregon. This report was prepared at the request of the Oregon Department of Environmental Quality.

(b) (6)

Thanks,

Kirsten

**Kirsten K. White, P.E. | Cascadia Associates LLC**  
OFFICE 503-906-6577 ext. 103  
DIRECT 503-928-5622  
MOBILE 971-533-3159  
[kwhite@cascadiaassociates.com](mailto:kwhite@cascadiaassociates.com)  
[www.cascadiaassociates.com](http://www.cascadiaassociates.com)

This e-mail message, including any attachments, is for the sole use of the intended recipient(s) and may contain information that is confidential and protected by law from unauthorized disclosure. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message.

This message contains confidential information intended only for use by the intended recipient(s). If you are not an intended recipient any distribution, duplication or use of this message or any attachments is not permitted. If you received this message in error please immediately advise the sender by reply e-mail and delete the original message. Thank you.

